Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 33

NUMBER 18

MAY 3, 1918

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

The dietary deficiency of cereal foods with reference to their content in "anti-neuritic vitamine" 647

PREVALENCE OF DISEASE.

United States:
- Extra-cantonment zones—Cases reported week ended April 30 667
- Disease conditions among troops in the United States 671
- Current State summaries 672
  - California 672
  - Connecticut 673
  - Illinois 673
  - Indiana 673
  - Kansas 673
  - Louisiana 673
  - Massachusetts 674
  - Minnesota 674
  - New Jersey 674
  - Ohio 674
  - South Carolina 674
  - Virginia 674
  - Washington 674
- Reciprocal notification—
  - Minnesota 675
- Cerebrospinal meningitis—
  - State reports for March, 1918 676
  - City reports for week ended April 13, 1918 677
- Erysipelas—
  - City reports for week ended April 13, 1918 678
- Leprosy—
  - City reports for week ended April 13, 1918 678
- Malaria—
  - State reports for March, 1918 679
  - City reports for week ended April 13, 1918 680
- Pellagra—
  - State reports for March, 1918 680
  - City reports for week ended April 13, 1918 681
- Pneumonia—
  - City reports for week ended April 13, 1918 681
- Poliomyelitis (infantile paralysis)—
  - State reports for March, 1918 682
  - City reports for week ended April 13, 1918 682
- Rabies in animals—
  - City reports for week ended April 13, 1918 683
- Rocky Mountain spotted fever—
  - Montana—Missoula County 683

United States—Continued.
Smallpox— Page.
State reports for March, 1918 683
Miscellaneous State reports 693
City reports for week ended April 13, 1918 697
Tetanus—
City reports for week ended April 13, 1918 698
Typhoid fever—
State reports for March, 1918 699
City reports for week ended April 13, 1918 702
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for March, 1918 702
City reports for week ended April 13, 1918 703
Foreign:
Algeria—
Epidemic smallpox—Algiers 708
China—
Cerebrospinal meningitis—Amoy 708
Cerebrospinal meningitis—Hankow 708
Further relative to plague—Shansi Province 708
Cuba—
Deratization of vessels from New Orleans—Habana 708
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended May 3, 1918—
Cholera 709
Plague 709
Smallpox 709
Typhus fever 710
Reports received from December 29, 1917, to April 26, 1918—
Cholera 710
Plague 711
Smallpox 712
Typhus fever 715
Yellow fever 716